



MANN+HUMMEL ENTARON HD 2.5 Heavy Duty Air Cleaner for Outdoor Power

Product features and concept advantages

- Heavy Duty ready
- Best in class lab life
- Copy protected element to grow service business
- Ease of installation in existing packaging space
- Flexible mounting due to 360° rotation of outlet and EasyLatch bracket allowing inlet configuration options every 15°
- High strength outlet tube design for stability in severe stress applications
- Stable and robust element with chemical and water resistance


Dimensions [mm]

| А | 51 | G | 35 |
|---|-------|---|-----|
| В | 51 | Н | 97 |
| С | 45 | T | 154 |
| D | 157 | J | 251 |
| E | 268.9 | K | 248 |
| F | 69 | | |

Technical specification

| | ENTARON HD 2.5 | Donaldson FPG05 |
|---|---|--|
| Air Flow Rating | 2.77 m³/min (98 CFM) | 2.63 m ³ /min (93 CFM) |
| Initial Restriction | 25 mbar (10" H20) | 25 mbar (10" H2O) |
| Lab Life | 4.2 hrs | 3.1 hrs |
| Final Efficiency | 99.99% | 99.99% |
| Media Fiber Construction | Cellulose fibers 15 - 40 µm, Synthetic fibers 10 - 20 µm | Cellulose |
| Pre-cleaner Efficiency (integrated two-stage) | > 90% | > 85% |
| Bracket Mounting 10 mm through holes on 136 mm center or M8 threaded inserts on 99 mm center | | 8.9 mm through holes on 136 mm center |
| Outlet Tube Joint Strength | 3236 Newtons | 1618 Newtons |

All tests according ISO 5011 using ISO coarse dust. Restriction measured at service indicator port with secondary element.



Design features



- 1 Variable position cover with rotation prevention
- 2 Tool free service clips
- 3 Seal for water intrusion
- 4 High efficiency element with composite media
- 5 Housing with integrated pre-cleaner
- **6** Secondary element with key lock
- **7** EasyLatch bracket for ease of installation
- **8** 360° rotating elbow outlet with 2 integrated M10 X 1 service indicator ports

Applications

- Commercial Mowers
- Compact Tractors
- Generators
- Mini-Excavators
- Skid Steers
- Utility Vehicles
- Zero Turn Mowers





MANN+HUMMEL Contact

MANN+HUMMEL USA

6400 S. Sprinkle Rd Portage, MI 49002 oem@mann-hummel.com www.mann-hummel.com



Watch the video of ENTARON HD 2.5

